

PUBLISHED ABSTRACTS

1. Ramadurai S, Effat M, Rakkimuthu S, Rao M, **Banerjee RK**. CRT-100.82 5-year clinical outcomes in patients with coronary artery dysfunction using pressure drop coefficient versus fractional flow reserve: A pilot study. *JACC Cardiovascular Interventions*, 13: S21–2, 2020, <https://doi.org/https://doi.org/10.1016/j.jcin.2020.01.065>.
2. Rakkimuthu S, Ramadurai S, Al-rjoub M, Kazmierczak M, Stuckey J, Banerjee RK. Improved head cooling system using phase change material for thermoregulation of brain temperature. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference (SB3C)*, Accepted, 2020.
3. Ramadurai S, Effat M, Rakkimuthu S, Rao M, **Banerjee RK**. Comparison of early and late clinical trial outcomes between fractional flow reserve and pressure drop coefficient in patients with coronary artery dysfunction. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference (SB3C)*, Accepted, 2020.
4. Hariharan P, Sharma N, D'Souza GA, Guha S, **Banerjee RK**, Myers MR. Computational modeling of pathogen leakage through N95 respirators. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference, SB3C2019-038*, 2019.
5. D'Souza GA, Taylor MD, **Banerjee RK**. Improved diagnosis of pulmonary artery stenosis in congenital heart disease patients using functional parameters: An in vitro study. *World Congress of Biomechanics, WCB2018-3483*, 2018.
6. Devarakonda SB, Myers MR, **Banerjee RK**. Assessment of enhanced thermal effect due to gold nano-particles during MR-guided high intensity focused ultrasound (HIFU) procedures using a mouse-tumor model. *World Congress of Biomechanics, WCB2018-3148*, 2018.
7. Hebbar U, **Banerjee RK**. Evaluation of compliance of pre-stressed patient specific pulmonary vasculature using blood-flow arterial wall interaction and a shape matching inverse algorithm. *World Congress of Biomechanics, WCB2018-3134*, 2018.
8. Miller S, **Banerjee RK**, Weiss AA. Efficient capture of microbeads and bacteria due to electroosmotic flow switching in a microfluidic device. *World Congress of Biomechanics, WCB2018-4144*, 2018.
9. Paruchuri SS, Myers MR, Hariharan P, **Banerjee RK**. Assessing attenuation coefficient of magnetic nanoparticle infused tissue mimicking material during high intensity focused ultrasound sonication. *World Congress of Biomechanics, WCB2018-3979*, 2018.
10. Sharma N, D'Souza G, Myers MR, Guha S, **Banerjee RK**, Hariharan P. Development of CFD methodology to quantify aerosol leakage percentage of N95 respirators. *World Congress of Biomechanics, WCB2018-4389*, 2018.
11. Devarakonda S, Myers M, Lanier M, Dumoulin C, **Banerjee RK**. Enhanced hyperthermia due to gold nano-particles during MR-guided high intensity focused ultrasound (HIFU) ablation procedures. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference, SB3C2017-172*, 2017.
12. Hebbar UU, Effat MA, Peelukhana SV, Arif I, **Banerjee RK**. Clinical outcomes in microvascular disease patient-subgroup with epicardial stenosis: A pilot study to assess a newly developed pressure-flow diagnostic endpoint. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference, SB3C2017-1078*, 2017.
13. Peelukhana SV, **Banerjee RK**, van de Hoef TP, Kolli K EM, Helmy T, Leesar M, Kerr H, Piek JJ, Suc-cop P, Back L, I A. CRT-200.29 Evaluation of lesion flow coefficient for the detection of coronary artery disease in patient groups from two academic medical centers. *JACC: Cardiovascular Interventions*, 10(3, Supplement):S38, 2017.
14. D'Souza GA, Taylor MD, Lee N, **Banerjee RK**. Comparison of material properties between the main and left pulmonary arteries of congenital heart disease subjects using cardiac magnetic resonance: A feasibility study. *Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference, SB3C2016-990*, 2016.

15. Devarakonda SB, Dibaji SAR, Hariharan P, Myers MR, **Banerjee RK**. Enhanced localized hyperthermia using magnetic nanoparticles during high intensity focused ultrasound (HIFU) procedures. ASME 2016 Summer Heat Transfer Conference, HT2016-7280, 2016.
16. Hebbar U, Paul A, **Banerjee RK**. Hemodynamic Assessment of compliance of pre-stressed pulmonary valve-vasculature in patient specific geometry using an inverse algorithm. Bulletin of the American Physical Society, 2016.
17. Kumar V, Devarakonda SB, **Banerjee RK**, Ganguli AK, Bera C. Contribution of ultrasound absorption in nanoparticles for hyperthermia application. Proceedings of Summer Biomechanics, Bioengineering and Biotransport Conference, SB3C2016-765, 2016.
18. Manna S, Al-Rjoub M, Donnell A, Kaval N, Augsburg JJ, Correa ZM, **Banerjee RK**. PLA / PLGA-coated chitosan micro-implants for sustained release of methotrexate to treat vitreo-retinal diseases. Proceedings of Summer Biomechanics, Bioengineering and Biotransport Conference, SB3C2016-172, 2016.
19. Miller SA, Heineman WR, **Banerjee RK**. Increased capture of magnetic microbeads due to switching of electroosmotic flow. Proceedings of Summer Biomechanics, Bioengineering, and Biotransport Conference, SB3C2016-1262, 2016.
20. Paruchuri SS, Devarakonda SB, Dibaji SAR, Myers MR, **Banerjee RK**. Determination of HIFU induced focal temperature rise using numerical approach. Summer Biomechanics, bioengineering and biotransport conference, SB3C2016-1066, 2016.
21. Bulusu P, Zachariah SA, Bhattacharya A, **Banerjee RK**. Influence of head cooling by phase change materials on the core body temperature and head temperature using a 3D whole body model. Proceedings of Biomedical Engineering Society Conference, BMES2015-2490, 2015.
22. Dibaji SAR, Liu Y, Sonesson JE, **Banerjee RK**, Myers MR. A nonlinear derating method for estimating high-intensity focal pressures in tissue. Acoustical Society of America Meeting Pittsburg, PA, 2015.
23. Kalathil RT, Zachariah SA, Bhattacharya A, **Banerjee RK**. Evaluating the influence of tissue properties on the core temperature using a 3D whole body model. Proceedings of Summer Biomechanics, Bioengineering and Biotransport Conference, SB3C2015-1037, 2015.
24. Subramony AK, Rajabi-Jaghargh E, **Banerjee RK**. Better assessment of arteriovenous fistula patency using functional diagnostic endpoints. Proceedings of Summer Biomechanics, Bioengineering and Biotransport Conference, SB3C2015-442, 2015.
25. D'Souza G, Hariharan P, Malinauskas R, **Banerjee RK**, Horner M. Computational fluid dynamics modeling of the FDA nozzle using the V&V 20 standard. Proceedings of the BMES Annual Meeting, BMES-1594, 2014.
26. Das A, Paul AK, Taylor MD, **Banerjee RK**. Pulsatile arterial wall-blood flow interaction with wall pre-stress computed using an inverse algorithm. WPI Post-WCB biomechanics and vulnerable plaque conference, 2014.
27. Dibaji SAR, Myers MR, Sonesson JE, **Banerjee RK**. Nonlinear derating method for estimating the HIFU induced temperature rise in a tissue medium. World Congress of Biomechanics (Invited talk), 2014.
28. Dibaji SAR, Wansapura J, Myers MR, **Banerjee RK**. In-vivo MR thermometry of HIFU induced temperature rise in porcine liver. World Congress of Biomechanics, 2014.
29. Kolli KK, Peelukhana SV, Imran A, Succop P, Back LH, Helmy TA, Leesar MA, Effat MA, **Banerjee RK**. Diagnosis of coronary artery disease using fluid dynamic principles. World Congress of Biomechanics, 2014.
30. Lee N, **Banerjee RK**, Hor KN, Taylor MD. Non-invasive assessment of Pulmonary insufficiency: Energy based approach using 4D phase contrast MRI. WPI Post-WCB biomechanics and vulnerable plaque conference, 2014.
31. Lee N, Taylor MD, Hor KN, **Banerjee RK**. Pulmonary insufficiency: Energy-based assessment using 4D phase contrast MRI. World Congress of Biomechanics, 2014.

32. Manna S, Al-Rjoub MF, Donnell AM, Landero JA, Augsburger JJ, Correa ZM, **Banerjee RK**. In-vivo characterization of a poly-lactic acid (PLA) and chitosan (CS) based methotrexate (MTX) sustained release micro-implant in normal rabbit eyes: A pilot study. World Congress of Biomechanics, 2014.
33. Paul AK, Zachariah SA, **Banerjee RK**. Predicting thermophysiological response and safe duration of exposure during firefighting activities: Validation and application of whole body model. World Congress of Biomechanics, 2014.
34. Rajabi-Jaghargh E, **Banerjee RK**. Assessment of arteriovenous fistula functionality using hemodynamic based diagnostic parameters. World Congress of Biomechanics, 2014.
35. Zachariah SA, Paul AK, Bhattacharya A, **Banerjee RK**. Prediction of core body temperature, sweat rate, cardiac output and stroke volume for firefighters using a 3D whole body model. World Congress of Biomechanics, 2014.
36. Connors B, Rajabi-Jaghargh E, **Banerjee RK**. Effect of anastomotic angle on the wall shear stress profiles in the arteriovenous fistulae. Proceedings of Summer Bioengineering Conference, SBC2013-14405, 2013.
37. D'Souza G, Peelukhana SV, **Banerjee RK**. Misinterpretation of stenosis severity in the presence of serial coronary stenoses: An in-vitro study. 2013 Frontiers in Medical Devices: Application of Computer Modelling and Simulation, FMD-16180, 2013.
38. D'Souza G, Peelukhana SV, **Banerjee RK**. Misinterpretation of stenosis severity in the presence of serial coronary stenoses: An in-vitro study. Proceedings of Summer Bioengineering Conference, SBC2013-14623, 2013.
39. Dibaji SAR, Myers MR, Hariharan P, **Banerjee RK**. Targeting of high-intensity focused ultrasound beams using remote thermocouples. ASME 2013 Summer Heat Transfer Conference, HT2013-17652, 2013.
40. Dibaji SAR, Myers MR, Sonesson JE, **Banerjee RK**. Nonlinear derating of high-intensity therapeutic ultrasound beams using gaussian sums. Proceedings of Summer Bioengineering Conference SBC2013-14383, 2013.
41. Kim B, Goenka S, Peelukhana SV, Stringer KF, Kim JH, **Banerjee RK**, . Dependence of higher frequency components and duration of vibration on bone tissue alteration in the rat tail model. . Proceedings of Summer Bioengineering Conference, SBC2013-14623, 2013.
42. Kolli KK, Effat MA, Peelukhana SV, Imran A, **Banerjee RK**. Functional evaluation of coronary lesion severity using pressure drop coefficient for an FFR cut-off of 0.80: A meta-analysis. American Heart Association Scientific Sessions, AHA2013-13990, 2013.
43. Kolli KK, Paul AK, Back LH, **Banerjee RK**. Optimization of balloon obstruction for simulating equivalent pressure drop in in-vivo physiological stenoses. ASME 2013 Frontiers in Medical Devices: Application of Computer Modelling and Simulation, FMD-16141, 2013.
44. Manna S, Augsburger JJ, Correa ZM, Landero JA, **Banerjee RK**. Influence of hydrophobic surface modification of chitosan based methotrexate (MTX) micro-implants to treat intraocular lymphoma. Proceedings of Summer Bioengineering Conference, SBC2013-14414, 2013.
45. Okoye K, Rajabi-Jaghargh E, **Banerjee RK**. Effect of anastomotic angle on pressure drop in arteriovenous fistulae. Proceedings of Summer Bioengineering Conference, SBC2013-14408, 2013.
46. Paul AK, Effat MA, **Banerjee RK**, Paquin JJ. Assessment of aortic stenosis severity using pressure drop coefficient: A retrospective study in humans. Society of Cardiovascular Angiography and Interventions, Scientific Sessions-A065, 2013.
47. Paul AK, Effat MA, Paquin JJ, **Banerjee RK**. Assessment of aortic stenosis severity using pressure drop coefficient: A retrospective study in humans. Proceedings of Summer Bioengineering Conference, SBC2013-14400, 2013.

48. Paul AK, Zachariah SA, Zhu L, **Banerjee RK**. Theoretical prediction of body tissue and blood temperature during cold water immersion using a whole body model. Proceedings of Summer Bioengineering Conference, SBC2013-14398, 2013.
49. Peelukhana SV, Kolli KK, Effat MA, Imran A, **Banerjee RK**. Correlation of pressure drop and lesion flow coefficients with epicardial and microvascular disease in humans. Society for Cardiovascular Angiography and Interventions, Scientific Sessions-A027, 2013.
50. Peelukhana SV, Kolli KK, Kerr H, Effat MA, Fernandez-Ulloa M, **Banerjee RK**. Improved assessment of coronary flow impairment using N-13 ammonia positron emission tomography. Proceedings of Summer Bioengineering Conference, SBC2013-14531, 2013.
51. Rajabi-Jaghargh E, Krishnamoorthy MK, **Banerjee RK**. Longitudinal effect of pressure drop on the intima-media thickening of the venous segment of the arteriovenous fistula. Proceedings of Summer Bioengineering Conference, SBC2013-14478, 2013.
52. Zachariah SA, Paul AK, **Banerjee RK**, Zhu L. Influence of exercise condition on tissue blood temperature using whole body model. Proceedings of Summer Bioengineering Conference, SBC2013-14515, 2013.
53. Al-Rjoub MF, Roy A, Ganguli S, **Banerjee RK**. Enhanced electro-osmotic flow pump for micro-scale heat exchangers. ASME 3rd Micro/Nanoscale Heat & Mass Transfer International Conference, 2012.
54. Das D, Al-Rjoub MK, Yadav JS, **Banerjee RK**. Capture of magnetic microspheres in electrokinetic flow for application in lab-on-chip devices. Proceedings of Summer Bioengineering Conference, SBC2012-80893, 2012.
55. Dibaji SAR, **Banerjee RK**. Influence of the transducer acoustic power on focal location of the beam during HIFU ablation procedure. Proceedings of Summer Bioengineering Conference, SBC2012-80830, 2012.
56. Goswami IC, Peelukhana SV, Al-Rjoub MF, Back LH, **Banerjee RK**. Influence of variable native arterial diameter on fractional flow reserve: An in-vitro study. Proceedings of Summer Bioengineering Conference, SBC2012-80881, 2012.
57. Kolli KK, Effat MA, Helmy TA, Imran A, Leesar MA, Back LH, Peelukhana SV, **Banerjee RK**. Improved diagnosis of coronary artery stenoses using pressure drop coefficient and lesion flow coefficient: A pilot study in humans. Society for Cardiovascular Angiography and Interventions, Scientific Sessions, B-028, 2012.
58. Kolli KK, Effat MA, Imran A, Helmy TA, Leesar MA, Back LH, Peelukhana SV, **Banerjee RK**. Functional and anatomical diagnosis of coronary artery stenoses: A retrospective study in humans. Proceedings of Summer Bioengineering Conference, SBC2012-80552, 2012.
59. Kolli KK, Paul AK, Back LH, Effat MA, **Banerjee RK**. Comparison between actual stenosis and internal balloon obstruction for equivalent pressure in a porcine model. Proceedings of Summer Bioengineering Conference, SBC2012-80441, 2012.
60. Lee N, Taylor M, Hor K, **Banerjee RK**. Non-invasive calculation of energy loss in pulmonary arteries using 4D phase contrast MRI measurement. Biomedical Engineering Society Conference, 2012.
61. Lee N TM, Hor K, **Banerjee RK**. Non-invasive calculation of energy loss in pulmonary arteries using 4D phase contrast MRI measurement. Proceedings of Summer Bioengineering Conference, SBC2012-80806, 2012.
62. Manna S, Augsburg JJ, Correa ZM, Landero JA, Kodali P, **Banerjee RK**. Development of Chitosan based Methotrexate (MTX) micro-implants to treat Intraocular Lymphoma. AAPS Annual Meeting and Exposition, AM-12-02980, 2012.
63. Peelukhana SV, Kolli KK, Effat MA, Helmy TA, Imran A, Leesar MA, Back LH, **Banerjee RK**. Improved assessment of coronary artery stenoses severity using combined anatomical and functional endpoints: A clinical study. American Heart Association Scientific Sessions, AHA2012-14944, 2012.

64. Peelukhana SV, Kolli KK, Leesar MA, Effat MA, Helmy TA, Imran A, Schneeberger EW, Succop P, **Banerjee RK**. Distinguishing epicardial and microvascular disease using combined functional and anatomical endpoints in a porcine model. Proceedings of Summer Bioengineering Conference, SBC2012-80464, 2012.
65. Rajabi-Jaghargh E, Roy-Chaudhury P, Krishnamoorthy M, Wang Y, **Banerjee RK**. Longitudinal effect of wall shear stress on the amount of intimal-medial thickening of venous wall in arteriovenous fistula. Proceedings of Summer Bioengineering Conference, SBC2012-80806, 2012.
66. Al-Rjoub MF, Roy AK, Ganguli S, **Banerjee RK**. Active-cooling micro-channel heat sink device, using electro-osmotic flow. 36th Dayton-Cincinnati Aerospace Sciences Symposium, 2011.
67. Al-Rjoub MF, Roy AK, Ganguli S, **Banerjee RK**. Hot spots active-cooling micro-channel heat sink device, using electro-osmotic flow. TechConnect World Conference and Expo, 2011.
68. Dasgupta S, Dibaji SAR, Wansapura J, Myers MR, **Banerjee RK**. Delineation of noise signals from MRI measured temperature rise during HIFU ablation procedure. Proceedings of Summer Bioengineering Conference, SBC2011-53814, 2011.
69. Goenka S, Peelukhana SV, Kim J, Stringer KF, **Banerjee RK**. Endothelial cell injury under high frequency vibration in the rat-tail model. Proceedings of Summer Bioengineering Conference, SBC2011- 53571, 2011.
70. Kolli KK, Effat MA, Imran A, Helmy TA, Leesar MA, Back LH, **Banerjee RK**. Functional diagnosis of coronary artery stenoses using pressure drop coefficient: A pilot study in humans. Proceedings of Summer Bioengineering Conference, SBC2011-53513, 2011.
71. Lee N, Das A, **Banerjee RK**, Gottliebson WM. Assessment of right ventricular inefficiency using energy transfer ratio in repaired tetralogy of fallot. Proceedings of Summer Bioengineering Conference, SBC2011-53965, 2011.
72. Peelukhana SV, Kolli KK, Gottliebson WM, Leesar MA, Helmy TA, Effat MA, Imran A, Schneeberger EW, Succop P, **Banerjee RK**. Influence of heart rate and epicardial stenosis severity on cardiac contractility under concomitant microvascular disease in a porcine model. Proceedings of Summer Bioengineering Conference, SBC2011-53512, 2011.
73. Peelukhana SV, Kolli KK, Leesar MA, Effat MA, Helmy TA, Imran A, Schneeberger EW, Gottliebson WM, Succop P, **Banerjee RK**. Influence of cardiac contractility on functional and anatomical diagnostic endpoints under concomitant microvascular dysfunction in a porcine model. Transcatheter Cardiovascular Therapeutics Conference, TCT-115518, 2011.
74. Rajabi-Jaghargh E, Roy-Chaudhury P, Krishnamoorthy M, Wang Y, Choe KA, Succop P, **Banerjee RK**. The effect of temporal variation in wall shear stress on remodelling of arteriovenous fistulae. ASN Kidney Week, 2011.
75. Rajabi-Jaghargh E, Roy-Chaudhury P, Succop P, **Banerjee RK**. A longitudinal assessment of wall shear stress variation on arteriovenous fistula maturation. Proceedings of Summer Bioengineering Conference, SBC2011-53541, 2011.
76. Das A, Gottliebson W, Karve M, **Banerjee RK**. Assessment of energy loss Due to pulmonary valve insufficiency in tetralogy of fallot physiology using patient specific geometry. Proceedings of Summer Bioengineering Conference, SBC2010-19631, 2010.
77. Das A, Gottliebson W, Karve M, **Banerjee RK**. Comparison of hemodynamic endpoints between normal subject and tetralogy patient using womersley velocity profile and MR based flow measurements. International Conference on Computational and Experimental Engineering and Sciences, ICCES1020100131329, 2010.
78. Das A, Gottliebson W, Wansapura JP, Karve M, **Banerjee RK**. Calculation of hemodynamic parameters in "repaired" tetralogy of fallot physiology using womersley velocity profiles and MRI-based flow measurements: a pilot feasibility study. 1st International Conference on Computational Simulation in Congenital Heart Disease, 2010.

79. Dasgupta S, Wansapura J, Hariharan P, Pratt R, Witte D, Myers MR, **Banerjee RK**. Reduction in beam positioning error during HIFU ablation studies in tissue phantoms. Proceedings of Summer Bioengineering Conference, SBC2010- 19405, 2010.
80. Kolli KK, Effat MA, Helmy TA, Imran A, Leesar MA, Schneeberger EW, Hand D, Gottliebson W, Succop P, Peelukhana SV, **Banerjee RK**. Influence of heart rate on pressure drop coefficient and fractional flow reserve for epicardial coronary stenosis. Society for Cardiovascular Angiography and Interventions, Scientific Sessions, E-032, 2010.
81. Kolli KK, Effat MA, Helmy TA, Leesar MA, Imran A, Schneeberger EW, Hand D, Gottliebson W, Succop P, Peelukhana SV, **Banerjee RK**. Influence of heart rate and contractility on coronary diagnostic parameters with normal microvasculature in porcine model. Proceedings of Summer Bioengineering Conference, SBC2010- 19199, 2010.
82. Kolli KK, Helmy TA, Effat MA, Imran A, Leesar MA, Schneeberger EW, Hand D, Gottliebson W, Succop P, Peelukhana SV, **Banerjee RK**. Influence of contractility and heart rate on pressure drop coefficient and fractional flow reserve for epicardial coronary stenosis. Cardiovascular Research Technologies, CRT-341, 2010.
83. Kolli KK, Peelukhana SV, Leesar MA, Effat MA, Helmy TA, Imran A, Schneeberger EW, Succop P, Gottliebson W, **Banerjee RK**. Influence of heart rate on pressure drop coefficient and fractional flow reserve for epicardial coronary stenosis and microvascular dysfunction. American Heart Association Scientific Sessions, AHA2010-21195, 2010.
84. Konala B, Das A, **Banerjee RK**. Effect of arterial wall compliance on the pressure drop across coronary artery stenoses. International Conference on Computational and Experimental Engineering and Sciences, ICCES1020100131316, 2010.
85. Konala B, Das A, Effat M, Imran A, **Banerjee RK**. Misinterpretation of the functional severity of coronary stenosis due to variability in arterial wall compliance. Proceedings of Summer Bioengineering Conference, SBC2010-19564, 2010.
86. Peelukhana SV, Kolli KK, Imran A, Effat MA, Helmy TA, Leesar MA, Schneeberger EW, Succop P, Gottliebson W, **Banerjee RK**. Influence of heart rate on diagnostic parameters for epicardial coronary stenosis with concomitant microvascular disease. Transcatheter Cardiovascular Therapeutics Conference, TCT-131, 2010.
87. Al-Rjoub MF, Roy A, Ganguli S, **Banerjee RK**. Micro-scale heat exchanger for microchip cooling using EOF. Ohio Innovations Summit (OIS), 2009.
88. Das A, Karve MS, Gottliebson WM, **Banerjee RK**. Blood flow-pressure diagnostics of pulmonary valve insufficiency in repaired tetralogy of fallot patients using patient specific geometry. Proceedings of 10th US National Congress for Computational Mechanics, 158367, 2009.
89. Dasgupta S, Wansapura J, Hariharan P, Pratt R, Witte D, Myers MR, **Banerjee RK**. Determination of Lesion Size as Function of HIFU sonication time using MRI Monitoring. Proceedings of Summer Bioengineering Conference, SBC2009- 205163, 2009.
90. Khan R, Krishnamoorthy M, Wang Y, Kurian M, Lee T, **Banerjee RK**, El-Khatib M, Munda R, Arend L, Roy-Chaudhury P. Pathogenetic role for early focal macrophage infiltration in a pig model of arteriovenous fistula (AVF) stenosis. American Society of Nephrology Annual Meeting, F-PO1563, 2009.
91. Kolli KK, Peelukhana SV, Effat MA, Helmy TA, Leesar M, Schneeberger EW, Hand D, Gottliebson WM, **Banerjee RK**. Influence of heart rate and area stenosis on coronary diagnostic parameters in a porcine model. Proceedings of Summer Bioengineering Conference, SBC2009-206730, 2009.
92. Krishnamoorthy M, **Banerjee RK**, Wang Y, Choe A, Arend L, Roy-Chaudhury P. Differences in anatomical configuration influence flow and diameter in arteriovenous fistulae in a pig model. American Society of Nephrology Annual Meeting, F-PO1566, 2009.

93. Krishnamoorthy M, Kurian M, Wang Y, Khan R, Lee T, El-Khatib M, **Banerjee RK**, Munda R, Arend L, Roy-Chaudhury P. Cellular infiltration and proliferation in arteriovenous fistula failure. American Society of Nephrology Annual Meeting, F-PO1572, 2009.
94. Krishnamoorthy M, Roy-Chaudhury P, Wang Y, Arend L, **Banerjee RK**. Changes in wall shear stress influence changes in intima-media thickening in a pig model of arteriovenous fistula stenosis. . American Society of Nephrology Annual Meeting, F-PO1565, 2009.
95. Krishnamoorthy M, Roy-Chaudhury P, Wang Y, Holland CK, Rigger D, Choe A, **Banerjee RK**. Vascular remodeling of arteriovenous fistula. Proceedings of Summer Bioengineering Conference, SBC2009-206508, 2009.
96. Ashtekar KD, Kim E, Sinha R, A., Effat MA, Helmy TA, Schneeberger EW, Gottliebson WM, Back LH, **Banerjee RK**. Delineation of true diagnostic severity of epicardial coronary stenosis and microvascular dysfunction using alternate diagnostic indices. Proceedings of European Society of Cardiology, 2008.
97. Ashtekar KD, Sinha Roy A, Kim E, Helmy T, Effat M, Khoury SF, Schneeberger EW, Gottliebson W, **Banerjee RK**. Pressure drop coefficient effectively distinguishes between epicardial and microvascular dysfunction. Arteriosclerosis, Thrombosis and Vascular Biology Annual Conference, Atlanta, GA, 2008.
98. Comandur KA, Bhagat AAS, Dasgupta S, Papautsky I, **Banerjee RK**. Electroosmotic injection and chemical kinetics in micro reactors. Proceedings of Summer Bioengineering Conference, SBC2008-193050, 2008.
99. Das A, Gottliebson W, **Banerjee RK**. Comparison of right ventricle stroke work for tetralogy patient and normal subject. Summer Bioengineering Conference, SBC2008-193145, 2008.
100. Dasgupta S, Hariharan P, Myers MR, **Banerjee RK**. Effect of rate of blood flow through large blood vessels on HIFU temperature rise. Summer Bioengineering conference, Florida, 2008.
101. Kwon O, Tranter M, Jones WK, Sankovic JM, **Banerjee RK**. Enhanced nuclear translocation of nuclear factor-kB in micro-g stimulated cardiomyocyte cells. Proceedings of Arteriosclerosis, Thrombosis and Vascular Biology Conference, P414, 2008.
102. Palakurthi N, Park J, Krishnamoorthy M, Augsburger JJ, **Banerjee RK**. Evaluation of retinal permeability of methotrexate for therapeutic treatment of intraocular lymphoma. Biomedical Engineering Society Conference, 2008.
103. Peelukhana SV, **Banerjee RK**, Effat M, Helmy T. Misintrepretation of functional severity of coronary stenosis in the presence of collateral flow. Summer Bioengineering Conference, SBC2008-193034, 2008.
104. Bhagat AAS, Dasgupta S, **Banerjee RK**, Papautsky I. Effects of microchannel cross-section and applied electric field on electroosmotic mobility. Transducers, 2007.
105. Dasgupta S, Hariharan P, Myers MR, **Banerjee RK**. Temperature rise in tissue mimicking material during HIFU procedures. Proceedings of the Summer Bioengineering Conference, BIO2007-176922, 2007.
106. Hariharan P, Myers MR, **Banerjee RK**. High intensity focused ultrasound (HIFU) transducer characterization using acoustic streaming. Proceedings of the Summer Bioengineering Conference, BIPO2007-176653, 2007.
107. Krishnamoorthy M, Arend L, Wang Y, **Banerjee RK**, Roy-Chaudhury P. Adventitial proliferation precedes endothelial proliferation in arteriovenous fistula stenosis. American society of Nephrology annual meeting, 2007.
108. Krishnamoorthy M, **Banerjee RK**, Wang Y, Zhang J, Rudich S, Arend L, Roy-Chaudhury P. Anatomical configuration of an AV fistula influences the pattern of intima-media thickening. American Society of Nephrology annual meeting, 2007.
109. Krishnamoorthy M, Roy-Chaudhury P, Holland C, Paik E, Wang Y, Kwon O, Kurtzman M, Kemper D, Choe A, **Banerjee RK**. Generation of a complete wall shear stress profile in AV

- fistulae using 64 slice CT angiography. American society of Nephrology annual meeting, 2007.
110. Wang Y, Frost M, Krishnamoorthy M, Hwang S, Zhang J, **Banerjee RK**, Rudich S, Myerhoff M, Roy-Chaudhury P. PTFE grafts coated with Cu(II) complex polymer coatings generate nitric oxide: potential for reducing arteriovenous graft stenosis and thrombosis. American Society of Nephrology Annual Meeting, F-FC158, 2007.
 111. Ashtekar KD, Back LH, **Banerjee RK**. Improved diagnosis of coronary stenosis under clinical setting using analytical approach. Proceedings of the Summer Bioengineering conference, BIO2006-152546, 2006.
 112. Ashtekar KD, **Banerjee RK**, Back LH. In vitro measurements of flow obstruction effect due to guidewire insertion in coronary stenoses models. Proceedings of the Summer Bioengineering Conference, BIO2006-152772, 2006.
 113. **Banerjee RK**, Ashtekar KD, Sinha Roy A, Khoury SF, Back LH. In-vitro and in-vivo evaluation of coronary occlusion using a new diagnostic parameter: Lesion flow coefficient. American Heart Association Research Symposium: Pre-scientific session, 2006.
 114. Devarakonda S, Han J, Park J, **Banerjee RK**, Ahn CH. Separation of RBC from plasma and non-Newtonian viscosity effect using micro-channels. Proceedings of the Summer Bioengineering Conference, BIO2006-157423, 2006.
 115. Devarakonda S, Han J, Park J, **Banerjee RK**, Ahn CH. Separation of bio-particles using micro-channels with pulsed pressure and variable particle density. Proceedings of 9th World Congress on Biosensors, 2006.
 116. Hariharan P, Myers MR, **Banerjee RK**. Optimization of transducer gain for focused ultrasound surgery in the presence of large blood vessels. Proceedings of the Summer Bioengineering Conference, BIO2006-157693, 2006.
 117. Krishnamoorthy M, Wang Y, Zhang J, Sinha Roy A, Khoury SF, Desai P, **Banerjee RK**, Roy-Chaudhury P. Altering hemodynamics through computer modeling of AV fistula configuration: Opportunities for reducing AV fistula failure? Proceedings of American Society of Nephrology Renal week [SA-FC108], 2006.
 118. Krishnamoorthy MK, Park J, **Banerjee RK**. Effect of retinal permeability on drug distribution in the rabbit eye. Proceedings of the Summer Bioengineering Conference, BIO2006-157733, 2006.
 119. Krishnamoorthy MK, Wang Y, Roy-Chaudhury P, Khoury SF, Sinha Roy A, Zhang J, **Banerjee RK**. Histological and hemodynamic end points in a pig model of arteriovenous fistula stenosis. 52nd Annual Conference of American Society of Artificial Internal Organs, 2006.
 120. Krishnamoorthy MK, Wang Y, Zhang J, Sinha Roy A, Khoury S, Desai P, **Banerjee RK**, Roy-Chaudhury P. Hemodynamic shear stress modeling and AV fistula stenosis in a pig AV fistula model. Proceedings of American Society of Nephrology Renal week [SA-FC-20], 2006.
 121. Kwon O, Cho YI, Back LH, **Banerjee RK**. Oxygen transport to the avascular wall of a coronary artery stenosis for varying blood viscosity. Proceedings of the Summer Bioengineering Conference, BIO2006-157567, 2006.
 122. Liu M, Rust MJ, Devarakonda S, **Banerjee RK**, Ahn CH. Estimation of filling time of blood and water in microchannels. Proceedings of the Summer Bioengineering Conference, BIO2006-157672, 2006.
 123. Park J, Augsburg JJ, Franco RS, Desai BP, **Banerjee RK**. Comparison of 2-methoxyestradiol and methotrexate efficacy effect on B-non-Hodgkin's lymphoma cell lines. Proceedings of the Summer Bioengineering Conference, BIO2006-155477, 2006.
 124. Rontala R, West C, Greenberg R, **Banerjee RK**. Experimental and numerical validation of aortic stent-graft drag forces. Proceedings of the Summer Bioengineering Conference, BIO2006-157586, 2006.

125. Sinha Roy A, Khoury SF, Velury V, Schneeberger EW, Millard RW, **Banerjee RK**. Lesion flow coefficient: A novel diagnostic index to assess coronary occlusions using combined measurements of blood flow, pressure gradient and area blockage. Proceedings of American Heart Association Scientific Sessions, 2006.
126. Zhu L, **Banerjee RK**, Flower R. Temperature distribution during dye-enhanced laser photocoagulation of choroidal feeder vessels in treatment of AMD related choroidal neovascularization (CNV). Proceedings of the Summer Bioengineering Conference, BIO2006-157336, 2006.
127. Arunachalam BK, Millard RW, Rilo HR, **Banerjee RK**. Effect of heat transfer on the efficacy of Hypothermic cold storage methods. Proceedings of the Summer Bioengineering Conference, B0415800, 2005.
128. Ashtekar KD, Sinha Roy A, **Banerjee RK**, Back LH, Millard RW, Khoury S. In vitro evaluation of guidewire flow obstruction in diagnosis of coronary lesion severity using pulsatile hemodynamics. Proceedings of the Summer Bioengineering Conference, B016498, 2005.
129. Gopalakrishnan P, Kazmierczak JM, **Banerjee RK**. Influence of repetition frequency on selective retinal photocoagulation for macular diseases. Proceedings of the Summer Bioengineering Conference, B0276293, 2005.
130. Gopalakrishnan P, Kazmierczak M, **Banerjee RK**. Thermal interaction between laser & tissue during retinal photocoagulation. Biomedical Optics, Photonics West, 2005.
131. Hariharan P, Seshadri V, **Banerjee RK**. Pressure-flow characteristics during peristaltic transport of Bingham fluid in distensible tube with different wave forms. Proceedings of the Summer Bioengineering Conference, B0253924, 2005.
132. Kwon O, Sartor M, Tomlinson CR, Olah ME, Millard RW, Sankovic JM, **Banerjee RK**. Gravity-induced changes of gene expression in PC12 cells. Proceedings of the Summer Bioengineering Conference, B0208211, 2005.
133. Park J, Augsburger JJ, Kao WW, Desai BP, **Banerjee RK**. Estimation of optimal treatment protocol of methotrexate administered by controlled release implant for intraocular lymphoma. 32nd Annual Meeting & Exposition of the Controlled Release Society, 2005.
134. Park J, Augsburger JJ, Millard RW, **Banerjee RK**. Evaluation of pharmacokinetics and retinal permeability for ganciclovir in a rabbit and human eye. Proceedings of the Summer Bioengineering Conference, B0221512, 2005.
135. Vaidya VS, Back LH, **Banerjee RK**. Coupled oxygen transport to the avascular wall of a pre- and post-angioplasty coronary artery stenoses. Proceedings of the Summer Bioengineering Conference, B0040978, 2005.
136. Hariharan P, Pandey AK, Chang I, Myers M, **Banerjee RK**. RF ablation in a reconstructed hepatic geometry with an electric heat source. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE2004-61792, 2004.
137. Park J, Bungay PM, Lutz RJ, Augsburger JJ, Millard RW, Sinha Roy A, **Banerjee RK**. Comparison of convection transport of drug between intravitreal injection and controlled release implant. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-43136, 2004.
138. Rajamohan D, Ibrahim I, Back LH, Jog M, **Banerjee RK**. Evaluation of modified oscillatory shear index and recirculation zone in a deployed coronary stent. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-61269, 2004.
139. Sinha Roy A, Back LH, Millard RW, Khoury S, **Banerjee RK**. In-vitro pressure-flow relationship in models of significant coronary artery stenosis. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-61657, 2004.
140. Vaidya V, Back LH, **Banerjee RK**. Coupled oxygen transport in the avascular region of a coronary artery for basal to hyperemic flow. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE2004-59045, 2004.

141. **Banerjee RK**, Back LH. Computed and measured hemodynamics in a compliant tapered femoral artery. Proceedings of the Summer Bioengineering Conference, 2003.
142. **Banerjee RK**, Back LH. Guidewire diagnostics in residual coronary artery stenoses after angioplasty. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-43138, 2003.
143. **Banerjee RK**, Straus J, Subbiah S, Bhargava K. Developing pulsatile flow through the entrance region of a deployed stent in a coronary artery. Proceedings of the Summer Bioengineering Conference, 2003.
144. Hariharan P, **Banerjee RK**. Pressure-flow characteristics during peristaltic transport of non-Newtonian fluid in distensible tube with different wave forms. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-43145, 2003.
145. Holcomb MD, Slusher ST, Rajamohan D, Jog MA, Back LH, **Banerjee RK**. Basal to hyperemic pulsatile flow in a deployed coronary stent. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-43148, 2003.
146. Pandey AK, Chang I, Myers M, **Banerjee RK**. Radio-Frequency ablation with a gaussian heat source in a realistic reconstructed hepatic geometry. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-41481, 2003.
147. Park J, Melhem M, Desai P, Millard RW, **Banerjee RK**. Controlled drug releasing intravitreal implant using biodegradable PLGA. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-43136, 2003.
148. **Banerjee RK**, Back LH, Back MR, Cho YI. Phasic variations and magnitude of pressure recovery distal to human coronary artery stenoses during angioplasty. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-32581, 2002.
149. **Banerjee RK**, Bungay P, Sarntinoranont M, Chippada S. Generalizing the theory of microdialysis. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-32970, 2002.
150. **Banerjee RK**, Bungay P, Sartinorant M. Chippada S. Generalizing the theory of microdialysis. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-32970, 2002.
151. Pandey AK, Chang I, Myers M, **Banerjee RK**. Finite element analysis of radio-frequency ablation in a reconstructed realistic hepatic geometry. Proceedings of ASME Int Mech Engrg Cong & Expo, IMECE-32046, 2002.
152. **Banerjee RK**, Back LH, Cho YI. Pulsatile blood flow in a tapered femoral artery of a dog: Measurements and computed hemodynamics. ASME, Bioengineering, BED Vol 50, 517-518, 2001.
153. **Banerjee RK**, Back LH, Cho YI. Effect of endovascular diagnostic catheters on human coronary artery lesion flow coefficients. ASME, Bioengineering, BED 23140, 2001.
154. **Banerjee RK**, Back LH, Back MH, Cho YI. Linking measurements of coronary flow reserve in patients during angioplasty procedures to myocardial perfusion using computational hemodynamics. ASME, Bioengineering, BED Vol 48, 267-268, 2000.
155. **Banerjee RK**, Lutz RJ, Dedrick RL, Bungay P, King B, Robinson M, Keyhani K. Comparison of drug distribution between intravitreal injection & a controlled-release implant in a rabbit eye. ASME, Adv in Heat & Mass Transfer in Biotech, HTD-Vol 368/BED Vol 47, 169-170, 2000.
156. **Banerjee RK**, Back LH. Influence of guide wire catheter in significant coronary stenoses before angioplasty using computational hemodynamics. ASME, Bioengineering, BED Vol 42, 785-786, 1999.
157. **Banerjee RK**, Back LH, Back MR, Cho YI. Elevated mean trans-lesional pressure gradients and flow limitation in significant human coronary stenoses before angioplasty. ASME, Bioengineering, BED Vol 43, 63-64, 1999.
158. **Banerjee RK**, Huddleston M, Sohan SS, Friedman MH. Direct flow analysis on a reconstructed 3D image of a physiologic porcine aortic trifurcation. ASME, Bioengineering, BED Vol 43, 81-82, 1999.

159. **Banerjee RK**, Back LH. Comparison between calculated physiologic and measured phasic pressure gradients across human stenosed remodeled by coronary angioplasty. ASME, Bioengineering, BED Vol 39, 135-136, 1998.
160. **Banerjee RK**, Dilber I, van Osdol W, Sung C, Bungay P, Praxmaraer M. Numerical simulation of antibody penetration in a solid tumor nodule using finite element method. ASME, Bioengrg, BED Vol 39, 117-118, 1998.
161. **Banerjee RK**, Back LH, Cho YI. Catheter obstruction effect on flowrate-pressure drop during coronary angioplasty. ASME, Bioengineering, BED Vol 35, 79-80, 1997.
162. **Banerjee RK**, Cho YI, Gonzalez CF. Recurrence of balloon treated intracranial terminal aneurysm: A study with pulsed blood flow. ASME, Unsteady Flows, FED Vol 216, 43-48, 1995.
163. **Banerjee RK**, Niyogi KK, Rathi JS. Unanticipated transients during opening of a motor operated valve. ASME, International Joint Power Generation, NE-Vol 17, Volume 2, 81-87, 1995.
164. **Banerjee RK**, Rathi JS. Analysis of pressure transients in component cooling water (CCW) piping due to pump start up following a safety injection signal. ASME, Industrial and Environmental Applications of Fluid Mechanics FED Vol 221, 75-80, 1995.
165. **Banerjee RK**, Cho YI. Numerical studies of non Newtonian pulsed flow in femoral branched vessels. ASME, Advances in Fluid Engineering, FED Vol 157, 229-238, 1993.
166. **Banerjee RK**, Cho YI, Kensey K. Ampulse theory as the etiology of atherosclerosis in branched vessels. ASME, Advances in Bioengineering, BED Vol 26, 71-74, 1993.
167. Tasciyan TA, **Banerjee RK**, Cho YI. A comparison of 2-D pulsatile hemodynamic analyses within a stenosed carotid arterial bifurcation and its normal counterpart. ASME, Advances in Fluid Engineering, FED Vol 157, 221-228, 1993.
168. **Banerjee RK**, Cho YI, Back LH. Pressure drop in a tapered femoral artery of a dog: Pulsatile Flow. ASME, Advances in Bioengineering, BED Vol 22, 285-288, 1992.
169. **Banerjee RK**, Cho YI, Back LH. Numerical analysis of 3-D arterial flow in double curved femoral artery of man. ASME, Advances in Finite Element Analysis in Fluid Dynamics, FED Vol 137, 61-67, 1992.
170. **Banerjee RK**, Cho YI, Kensey K. Effect of the non Newtonian viscosity of blood on steady and pulsatile flow in stenosed arteries. ASME, Advances in Bioengineering, BED Vol 20, 103-106, 1991.